

1. Publication

1-1 original papers

- 1) Hori H, Teraishi T, Nagashima A, Koga N, Ota M, Hattori K, Kim Y, Higuchi T, Kunugi H: A personality-based latent class typology of outpatients with major depressive disorder: association with symptomatology, prescription pattern and social function. 2017 Aug J Affect Disord. 1(217):8-15. **【IF=3.432】**
- 2) Itoh M, Ujiie Y, Nagae N, Niwa M, Kamo T, Lin M, Hirohata S, Kim Y: The Japanese version of the Posttraumatic Diagnostic Scale: Validity in participants with and without traumatic experiences. 2017 Asian J Psychiatr 25: 1-5.
- 3) Hori H, Koga N, Hidese S, Nagashima A, Kim Y, Higuchi T, Kunugi H: 24-h activity rhythm and sleep in depressed outpatients. 2016J Psychiatr Res. 2016; 77: 27-34. **【IF=4.465】**
- 4) Lin M, Soi-Kawase S, Narita-Otaki R, Itoh M, Kim Y: Reliability and validity of a self-report emotional expressivity measure: The Japanese version of the Berkeley Expressivity Questionnaire. 2016Jpn J Nurs Sci. 13 (1):196-201. **【IF=0.488】**
- 5) Hori H, Sasayama D, Teraishi T, Yamamoto N, Nakamura S, Ota M, Hattori K, Kim Y, Higuchi T, Kunugi H: Blood-based gene expression signatures of medication-free outpatients with major depressive disorder: integrative genome-wide and candidate gene analyses. 2016Sci Rep. 6: 18776. **【IF=5.578】**
- 6) Fukasawa M, Suzuki Y, Nakajima S, Asano K, Narisawa T, Kim Y : Systematic Consensus Building on Disaster Mental Health Services After the Great East Japan Earthquake by Phase. 2015Disaster Med Public Health Prep. 9(4):359-366. **【IF=0.70】**
- 7) Nishi D, Hashimoto K, Noguchi H, Kim Y, Matsuoka Y: Serum Oxytocin, Posttraumatic Coping and C-Reactive Protein in Motor Vehicle Accident Survivors by Gender. 2015Neuropsychobiology;71:196-201. **【IF=2.303】**
- 8) Kim Y: 311 disaster and mental health countermeasures. 2014Eur J Psychotraumatol. Dec 9;5:26515. **【on line】 【IF : 2.40】**
- 9) Hamazaki K, Nishi D, Yonemoto N, Noguchi H, Kim Y, Matsuoka Y: Erratum to “The role of high-density lipoprotein cholesterol in risk for posttraumatic stress disorder: Taking a nutritional approach towards universal prevention” 2014Eur. Psych.29:408-413. **【IF=3.44】**
- 10) Suzuki Y, Fukasawa M, Nakajima S, Narisawa T, Keiko A, Kim Y: Developing a Consensus-based Definition of “Kokoro-no Care” or Mental Health Services and

- Psychosocial Support: Drawing from Experiences of Mental Health Professionals Who Responded to the Great East Japan Earthquake. Version 1. 2015PLoS Curr. 7. **【online】**
- 11) Fukasawa M, Suzuki Y, Obara A, Kim Y: Relationships between mental health distress and work-related factors among prefectural public servants two months after the Great East Japan Earthquake. 2015Int J Behav Med. 22(1):1-10. **【IF=2.63】**
 - 12) Nakamura K, Kitamura K, Kim Y, Someya T: Property damage and long-term psychological distress after the 2004 Niigata-Chuetsu earthquake in Ojiya, Japan: A community-based study. 2014J Public Health 37 (3): 398-405. **【IF=2.04】**
 - 13) Suzuki Y, Fukasawa M, Obara A, Kim Y: Mental Health Distress and Related Factors Among Prefectural Public Servants Seven Months After the Great East Japan Earthquake. 2014J Epidemiol 24(4), 287-294. **【IF : 2.862】**
 - 14) Yoshiike T, Kuriyama K, Honma M, Ikeda H, Kim Y: Neuroticism relates to daytime wakefulness and sleep devaluation via high neurophysiological efficiency in the bilateral prefrontal cortex: A preliminary study. 2014Psychophysiology. 51(4): 396-406. **【IF=3.261】**
 - 15) Honma M, Yoshiike T, Ikeda H, Kim Y, Kuriyama K: Sleep dissolves illusion: sleep withstands learning of visuo-tactile-proprioceptive integration induced by repeated days of rubber hand illusion training. 2014PLoS One. 9(1):e85734. **【on line】 【IF=3.730】**
 - 16) Reifels L, Pietrantonio L, Prati G, Kim Y, Kilpatrick D. G, Dyb G , Halpern J, Olf M, Brewin C.R.O'Donnell M: Lessons learned about psychosocial responses to disaster and mass trauma: an international perspective. 2013Eur J Psychotraumatol; 4:22897. **【on line】 【IF=3.278】**
 - 17) Kuriyama K, Honma M, Yoshiike T, Kim Y: Memory suppression trades prolonged fear and sleep-dependent fear plasticity for the avoidance of current fear. 2013Sci Rep, 3: 2227. **【IF=2.927】**
 - 18) Matsuoka Y, Nishi D, Noguchi H, Kim Y, Hashimoto K: Longitudinal Changes in Serum Brain-Derived Neurotrophic Factor in Accident Survivors with Posttraumatic Stress Disorder. 2013Neuropsychobiology; 68: 44-50. **【IF=2.371】**
 - 19) Kuriyama K, Honma M, Yoshiike T, Kim Y: Valproic acid but not d-cycloserine facilitates sleep-dependent offline learning of extinction and habituation of conditioned fear in humans. 2013 Neuropharmacology 01/2013; 64(1):424-31. **【IF=4.81】**
 - 20) Fukasawa M, Suzuki Y, Nakajima S, Narisawa T, Kim Y: Similarities and differences of systematic consensus on disaster mental health services between Japanese and European

- experts. 2013J Trauma Stress, 26: 1-8. **[IF=2.72]**
- 21) Noguchi H, Nishi D, Kim Y, Konishi T, Matsuoka Y: Does Prior Trauma Predict Negative Posttraumatic Appraisal in Motor Vehicle Accident Survivors? 2013J Depress Anxiety S4, pp.3. **[IF=4.288]**
 - 22) Nishi D, Noguchi H, Yonemoto N, Nakajima S, Kim Y, Matsuoka Y : Incidence and Prediction of Post-Traumatic Stress Disorder at 6 Months After Motor Vehicle Accidents in Japan. 2012Psychosomatics (on line) **[IF=2.123]**
 - 23) Usuki M, Matsuoka Y, Nishi D, Yonemoto N, Matsumura K, Otomo Y, Kim Y, Kanba S: Potential impact of propofol immediately after motor vehicle accident on later symptoms of posttraumatic stress disorder at 6-month follow up: a retrospective cohort study. 2012Critical care; 16(5): R196. **[IF=4.61]**
 - 24) Suzuki Y, Fukasawa M, Nakajima S, Narisawa T, Kim Y: Development of disaster mental health guidelines through the Delphi process in Japan. 2012Int J Ment Health Syst 2; 6(1):7. **[IF=0.77]**
 - 25) Honma M, Endo N, Osada Y, Kim Y, Kuriyama K: Disturbances in equilibrium function after major earthquake. 2012Scientific Reports 2(749) 1-8. **[IF=5.578]**
 - 26) Sawamura K, Tachimori H, Koyama T, Koyama A, Naganuma Y, Kim Y, Takeshima T: Lay Diagnoses and Views on Causes, Coping Strategies, and Treatment for Schizophrenia. 2012Community Mental Health J: 48(3) 309-316. **[IF=1.030]**
 - 27) Suzuki Y, Kim Y: The Great East Japan earthquake in 2011; toward sustainable mental health care system. 2012Epidemiol Psychiatr Sci 21: pp 7-11. **[IF=2.032]**
 - 28) Ito M, Nakajima S, Fujisawa D, Miyashita M, Kim Y, Shear MK, Ghesquiere A, Wall MM.: Brief measure for screening complicated grief: reliability and discriminant validity. 2012PLoS One 7(2):e31209. **[IF=4.411]**
 - 29) Kuriyama K, Honma M, Shimazaki M, Horie M, Yoshiike T, Koyama S, Kim Y: An N-methyl-d-aspartate receptor agonist facilitates sleep-independent synaptic plasticity associated with working memory capacity enhancement. 2011Scientific Reports. 1: 127. **[IF=5.578]**
 - 30) Kuriyama K, Honma M, Soshi T, Fujii T, Kim Y: Effect of D-cycloserine and valproic acid on the extinction of reinstated fear-conditioned responses and habituation of fear conditioning in healthy humans: a randomized controlled trial. 2011 Psychopharmacology (Berl)218(3):589–597. **[IF=3.817]**

- 31) Kim Y, Tsutsumi A, Izutsu T, Kawamura N, Miyazaki T, Kikkawa T: Persistent distress after psychological exposure to the Nagasaki atomic bomb explosion. 2011 Br J Psychiatry. 199:411-6. (雑誌より press release.) **[IF=5.947]**
- 32) Kim Y, Akiyama T : Great East Japan Earthquake and early mental health care response. 2011Psychiatry and Clinical Neurosciences: 539-548. **[IF=1.559]**
- 33) Kim Y, Akiyama T: Post-disaster mental health care in Japan. 2011The Lancet 378 : 317-318. **[IF=33.633]**
- 34) Suzuki Y, Tsutsumi A, Fukasawa M, Honma H, Someya T, Kim Y: Prevalence of Mental Disorders and Suicidal Thoughts Among Community-Dwelling Elderly Adults 3 Years After the Niigata-Chuetsu Earthquake. 2011Journal of Epidemiology 21-2: 144-150.**[IF=2.110]**
- 35) Kuriyama K, Honma M, Koyama S, Kim Y: D-cycloserine Facilitates Procedural Learning but not Declarative Learning in Healthy Humans: A Randomized Controlled Trial of the Effect of D-cycloserine and Valproic Acid on Overnight Properties in the Performance of Non-emotional Memory Tasks. 2011Neurobiology Learning and Memory. 95(4):505-9. **[IF=3.701]**
- 36) Umehara H, Fangerau H, Gaebel W, Kim Y, Schott H, Zielasek J: Von der "Schizophrenie" zur "Störung der Einheit des Selbst". 2011Der Nervenarzt. (online)
- 37) Kuriyama K, Mishima K, Soshi T, Honma M, Kim Y: Effects of sex differences and regulation of the sleep-wake cycle on aversive memory encoding. 2011Neurosci Res. 70(1):104-10. **[IF=2.096]**
- 38) Suzuki Y, Tsutsumi A, Fukasawa M, Honma H, Someya T, Kim Y: Prevalence of Mental Disorders and Suicidal Thoughts Among Community-Dwelling Elderly Adults 3 Years After the Niigata-Chuetsu Earthquake. 2011Journal of Epidemiology. 21(2):144-50. **[IF=2.110]**
- 39) Fujisawa D, Miyashita M, Nakajima S, Ito M, Kato M, Kim Y : Prevalence and determinants of complicated grief in general population. 2010Journal of Affective Disorders 127: 352-358. **[IF=3.383]**
- 40) Kuriyama K, Soshi T, Kim Y: Sleep deprivation facilitates extinction of implicit fear generalization and physiological response to fear. 2010Biological Psychiatry 68(11): 991–998. (雑誌より press release される。) **[IF=8.674]**
- 41) Honma M, Soshi T, Kim Y, Kuriyama K: Right Prefrontal Activity Reflects the Ability to Overcome Sleepiness during Working Memory Tasks: A Functional Near-Infrared

- Spectroscopy Study. 2010PLoS ONE 5 (9): e12923. **[IF=4.411]**
- 42) Nishi D, Matsuoka Y, Kim Y: Posttraumatic growth, posttraumatic stress disorder and resilience of motor vehicle accident survivors. 2010Biopsychosocial Medicine 4:7. **[UNOFFICIAL IF=1.00]**
- 43) Nishi D, Matsuoka Y, Yonemoto N, Noguchi H, Kim Y, Kanba S: The Peritraumatic Distress Inventory as a predictor for the subsequent posttraumatic stress disorder after a severe motor vehicle accident. 2010Psychiatry Clin Neurosci 64(2): 149-156. **[IF=1.559]**
- 44) Kuriyama K, Soshi T, Fujii T, Kim Y: Emotional Memory Persists Longer Than Event Memory. 2010Learning and Memory 17: 130-133. **[IF=3.701]**
- 45) Matsuoka Y, Nishi D, yonemoto N, Nakajima S, Kim Y: Toward an explanation of inconsistent rates of PTSD across different countries: infant mortality rate as a marker of social circumstances and basic population health. 2010Psychother psychosom 79(1):56-57, 2010**[IF=6.000]**
- 46) Soshi T, Kuriyama K, Aritake S, Enomoto M, Hida A, Tamura M, Kim Y, Mishima K: Sleep deprivation Influences Diurnal Variation of Human Time Perception with Prefrontal Activity Change: A Functional Near-Infrared Spectroscopy Study. 2010PloS ONE 5(1):e8395 **[IF=4.411]**
- 47) Matsuoka Y, Nishi D, Nakajima S, Yonemoto N, Hashimoto K, Noguchi H, Homma M, Otomo Y, Kim Y: The Tachikawa Cohort of Motor Vehicle Accident Study investigating psychological distress: Design, methods and cohort profile. 2009Social Psychiatry and Psychiatric Epidemiology 44(4):333-340. Epub 2008. **[IF=2.147]**
- 48) Matsuoka Y, Nishi D, Nakajima S, Yonemoto N, Noguchi H, Otomo Y, Kim Y: Impact of psychiatric morbidity on quality of life after motor vehicle accident at 1-month follow-up. 2009Psychiatry Clin Neurosci 63(2):235-237. **[IF=1.559]**
- 49) 2009.Suzuki Y, Tsutsumi A, Izutsu T, and Kim Y: Psychological Consequences More Than Half a Century After the Nagasaki Atomic Bombing. 2009Radiation Health Risk Science, pp277-282. **[IF= ?]**
- 50) Nishi D, Matsuoka Y, Noguchi H, Sakuma K, Yonemoto N, Yanagita T, Homma M, Kanba S, Kim Y: Reliability and validity of Japanese version of the Peritraumatic Distress Inventory. 2009General Hospital Psychiatry.31(1):75-79. **[IF=2.777]**
- 51) Kim Y, Asukai N, Konishi T, Kato H, Hirotsune H, Maeda M, Inoue H, Narita H, Iwasaki M:

- Clinical evaluation of paroxetine in post-traumatic stress disorder (PTSD):52-week, non-comparative open-label study for clinical use experience. 2008Psychiatry Clin Neurosci. 62(6):646-652. **[IF=1.559]**
- 52) Hara E, Matsuoka Y, Hakamata Y, Nagamine M, Inagaki M, Imoto S, Murakami K, Kim Y, Uchitomi Y: Hippocampal and amygdalar volumes in breast cancer survivors with posttraumatic stress disorder. 2008J Neuropsychiatry Clin Neurosci.20:302-308. **[IF=1.981]**
- 53) Hori H, Nagamine M, Soshi T, Okabe S, Kim Y, Kunugi H: Schizotypal Traits in Healthy Women Predict Prefrontal Activation Patterns during a Verbal Fluency Task: A Near-Infrared Spectroscopy Study: 2008Neuropsychobiology. 57:61-69. **[IF=2.567]**
- 54) Nishi D, Matsuoka Y, Nakajima S, Noguchi H, Kim Y, Kanba S, Schnyder U : Are patients after severe injury who drop out of a longitudinal study at highrisk of mental disorder? 2008Compr Psychiatry. (4), 393-398, **[IF=2.377]**
- 55) Kitayama N, Bremmer M, Hertz L, Quinn S, Kim Y, Bremner JD: Morphologic alterations in the corpus callosum in abuse-related posttraumatic stress disorder. 2008J Nerv Ment Dis. 195:1027-1029. **[IF=1.769]**
- 56) Matsuoka Y, Nishi D, Nakajima S, Kim Y, Homma M, Otomo Y: Incidence and prediction of psychiatric morbidity following a motor vehicle accident in Japan:The Tachikawa Cohort of Motor Vehicle Accident Study. 2008Crit Care Med. 36:74-80. **[IF=6.254]**
- 57) Nagamine M, Soshi T, Nioka S, Chance B, Kim Y: Dorsolateral prefrontal cortex activation during lying is context dependent—a preliminary report using near—infrared spectroscopy. 2007Journal of Mental Health. **[IF=1.570]**
- 58) Hakamata Y, Matsuoka Y, Inagaki M, Nagamine M, Hara E, Imoto S, Murakami K, Kim Y, Uchitomi Y: Structure of Orbitofrontal cortex and itslongitudinal course in cancer—related post-traumatic stress disorder. 2007Neurosci Res. 59(4):383-389. **[IF=2.096]**
- 59) Nagamine M, Matsuoka Y, Mori E, Imoto S, Kim Y, Uchitomi Y: Different emotional memory consolidation in cancer survivors with and without a history of intrusive recollection. 2007J Trauma Stress. 20(5):727-736. **[IF=2.374]**
- 60) Matsuoka Y, Nagamine M, Mori E, Imoto S, Kim Y, and Uchitomi Y: Left Hippocampal Volume Inversely Correlates With Enhanced Emotional Memory in Middle-Aged Healthy Women. 2007J Neuropsychiatry Clin Neurosci. 19:335-338. **[IF=1.981]**
- 61) Nagamine M, Matsuoka Y, Mori E, Fujimori M, Imoto S, Kim Y, Uchitomi Y: Relationships

- between heart rate and emotional memory in subjects with a past history of PTSD. 2007Psychiatry Clin Neurosci. 61:441-443. **[IF=1.559]**
- 62) Kamo T, Mikami Y, Kim Y, Yahagita T: Psychiatric symptoms and diagnosis of battered women in an emergency shelter in Tokyo. 2006Gender Medicine 3. **[IF=2.26]**
- 63) Nishi D, Matsuoka Y, Kawase E, Nakajima S, Kim Y: Mental health service requirements in a Japanese medical centre emergency department. 2006Emerg Med J. 23:468-469. **[IF=1.269]**
- 64) Matsuoka K, Uno M, Kasai K, Koyama K, Kim Y: Estimation of premorbid IQ in individuals with Alzheimer's disease using Japanese ideographic script (Kanji) compound words. 2006Psychiatry Clin Neurosci. 60:332-339. **[IF=1.559]**
- 65) Asukai N, Kato H, Kawamura N, Kim Y, Yamamoto K, Kishimoto J, Miyake Y, Nishizono-Maher A.: Reliability and validity of the Japanese-language version of the Impact of Event Scale-Revised (IES-R-J). 2002J Nerv Ment Dis. 190:175-182. **[IF=1.769]**
- 66) Kim Y: Renaming the term schizophrenia in Japan. 2002Lancet. 360:879. **[IF=33.633]**
- 67) Kanemoto K, Kim Y, Miyamoto T, Kawasaki J: Presurgical postictal and acute interictal psychoses are differentially associated with postoperative mood and psychotic disorders.2001 J Neuropsychiatry Clin Neurosci. 13:243-247. **[IF=1.981]**
- 68) Kim Y, Berrios G: Impact of the term schizophrenia in the culture of ideograph. 2001Schizophr Bull. 27:181-185. **[IF=8.273]**
- 69) Kawamura N, Kim Y, Asukai N: Suppression of cellular immunity in men with a past history of posttraumatic stress disorder. 2001Am J Psychiatry. 158:484-486. **[IF=12.759]**
- 70) Matsuoka K, Kim Y, Toshida S, Ohshima N: Relationships between age of onset, antisocial history and general psychopathological traits in Japanese alcoholics. 2000Psychiatry Clin Neurosci.54:413-417. **[IF=1.559]**
- 71) Kim Y: Field Decontamination in the Mental Health Activity in the Community Disaster. 1999Prehospital and Disaster Medicine 14(S1).
- 72) Ono Y, Satsumi Y, Kim Y, Iwadate Y, Moriyama I, Nakane Y, Nakata T, Okagami K, Sakai T, Sato M, Someya T, Takagi S, Ushijima S, Yamauchi K, Yoshimura K: Schizophrenia:Is it time to replace the term?. 1999Psychiatry Clin Neurosci. 53:335-341. **[IF=1.559]**
- 73) Miyaoka H, Sakai T, Kamijima K, Kato Y, Hoshino H, Kim Y: A case report of two siblings with familial leukoencephalopathy in normotensive male adults with alopecia and lumbago. 1998Int J Geriatr Psychiatry. 13:643-344. **[IF=2.029]**

- 74) Kim Y, Sakamoto K, Kamo T, Sakamura Y, Miyaoka H: Insight and clinical correlates in schizophrenia. 1997Compr Psychiatry. 38:117-123. **[IF=2.377]**
- 75) Kim Y, Sakamoto K, Kamo T, Sakamura Y, Kotorii N: Subjective experience and related symptoms in schizophrenia. 1997Compr Psychiatry. 38:49-55. **[IF=2.377]**
- 76) Kim Y, Takemoto K, Mayahara K, Sumida K, Shiba S: An analysis of the subjective experience of schizophrenia. 1994Compr Psychiatry. 35:430-436. **[IF=2.377]**

1-2 Review

- 1) Kim Y: Psychological problems of the victims. 2001The criticality accident in Tokaimura:medial aspects of radiation emergency. 165-166.

1-3 Books

- 1) 2008. Suzuki Y, Tsutsumi A, Izutsu T, Kim Y: Psychological Consequences More Than Half a Century After the Nagasaki Atomic Bombing. In: Radiation Health Risk Research. Springer: 277-282, Tokyo.
- 2) 2008. Matsuoka K, Kim Y: Estimated premorbid IQ using Japanese version of National Adult Reading Test in Individuals with Alzheimer's Disease. Jeong HS ed: Alzheimer's disease in the middle-aged. Nova Science Publishers, Inc., NY, :169-190.
- 3) 2006. Kim Y: Pengantar Isi.PEDOMAN AKTIVITAS PERAWATAN KESEHATAN MENTAL TINGKAT LOKAL PASCA BENCANA. JICA&STKS Collaboration Japan International Cooperation Agency & School of Social Welfare,Bandung:4.
- 4) 2006. Kim Y: Current Perspectives on Clinical Studies of PTSD in Japan. In: PTSD Brain Mechanisms and Clinical Implications: 147-154. Springer, Tokyo.
- 5) 2004. Kim Y: Japanese attitude towards insight in Schizophrenia.In: Insight in schizophrenia 2nd ed. (eds. A Dabid, X Amador), Oxford University Press, Oxford.
- 6) 2002. Kim Y:The psychological foundation of insight in Schizophrenia . In: Comprehensive Treatment of Schizophrenia (eds. Kashima H, Falloon I, Mizuno M, Asai M). Springer Verlag,Heidelberg.
- 7) 1997.Kim Y:Japanese attitude towards insight in Schizophrenia.In: Insight in schizophrenia. (eds. A Dabid, X Amador), Oxford University Press,Oxford.
- 8) 1994. Kim Y, Fujinawa A: Future perspective of Japanese psychiatric policy [Past, present and future of psychiatry] Beigel A, Ibor L, Silva C eds. World Scientific. Past,

present and future of psychiatry. :1342 – 1345.

1-4 Others

- 1) 2007.3. Nakatani H, Shinmura K, Kim Y, et al.: Japan-Australia Partnership in Health Joint Report on Phase 2-Mental Health.
- 2) 1998. Kim Y, Kokai M: Earthquake and Psychiatry in Kobe. Psychiatr Bull. 22:245-248.