

1. Publication

1-1 Original papers

1-2 Review

1-3 Books

1-4 Others (radio interview, etc)

1-1 Original papers

- 1) Nakayama M, Hori H, Itoh M, Lin M, Niwa M, Ino K, Imai R, Ogawa S, Sekiguchi A, Matsui M, Kunugi H, Kim Y. Possible long-term effects of childhood maltreatment on cognitive function in adult women with posttraumatic stress disorder. 2020 April. *Frontiers in Psychiatry* 2020; 11: 344. **【IF=2.849】**
- 2) Hakamata Y, Mizukami S, Izawa S, Moriguchi Y, Hori H, Kim Y, Hanakawa T, Inoue Y, Tagaya H. Basolateral amygdala connectivity with subgenual anterior cingulate cortex represents enhanced fear-related memory encoding in anxious humans. 2020 Mar. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, 5(3): 301-310 **【IF5.335】**
- 3) Lin M, Kim Y. The reliability and validity of the 18-item long form and two short forms of the Problematic Internet Use Questionnaire in three Japanese samples. 2020 Feb. *Addictive Behaviors*, 101:105961 **【IF=2.963】**
- 4) Hori H, Itoh M, Yoshida F, Lin M, Niwa M, Hakamata Y, Ino K, Imai R, Ogawa S, Matsui M, Kamo T, Kunugi H, Kim Y. The BDNF Val66Met polymorphism affects negative memory bias in civilian women with PTSD. 2020 Feb. *Sci Rep*, 10:3151
- 5) Hori H, Yoshida F, Itoh M, Lin M, Niwa M, Ino K, Imai R, Ogawa S, Matsui M, Kamo T, Kunugi H, Kim Y. Proinflammatory status-stratified blood transcriptome profiling of civilian women with PTSD. , 2020 Jan. *Psychoneuroendocrinology*, 111: 104491 **【IF=4.013】**
- 6) Imai R, Hori H, Itoh M, Lin M, Niwa M, Ino K, Ogawa S, Sekiguchi A, Kunugi H, Akechi T, Kamo T, Kim Y. Relationships of blood proinflammatory markers with psychological resilience and quality of life in civilian women with posttraumatic stress disorder. 2019 Nov. *Sci Rep*, 9: 17905 **【IF= 4.011】**
- 7) Seto M, Nemoto H, Kobayashi N, Kikuchi S, Honda N, Kim Y, Kelman I, Tomita H: Post-disaster mental health and psychosocial support in the areas affected by the Great East Japan Earthquake: a qualitative study. 2019 Aug. *BMC Psychiatry*, 19(1): 261 **【IF= 2.666】**

- 8) Hakamata Y, Komi S, Sato E, Izawa S, Mizukami S, Moriguchi Y, Motomura Y, Matsui M, Kim Y, Hanakawa T, Inoue Y, Tagaya H. Cortisol-related hippocampal-extrastrate functional connectivity explains the adverse effect of cortisol on visuospatial retrieval. 2019 Apr. *Psychoneuroendocrinology*, 109: 104310 **【IF=4.013】**
- 9) Génereux M, Schluter PJ, Takahashi S, Usami S, Mashino S, Kayano R, Kim Y: Psychosocial Management Before, During, and After Emergencies and Disasters-Results from the Kobe Expert Meeting. 2019 Apr. *Int J Environ Res Public Health*, 16(8), 1309 **【IF=2.468】**
- 10) Itoh M, Hori H, Lin M, Niwa M, Ino K, Imai R, Ogawa S, Matsui M, Kamo T, Kim Y: Memory bias and its association with memory function in women with posttraumatic stress disorder. 2019 Feb. *J Affect Disord*, 245, 461-467 **【IF=3.786】**
- 11) Hakamata Y, Mizukami S, Komi S, Sato E, Moriguchi Y, Motomura Y, Maruo K, Izawa S, Kim Y, Hanakawa T, Inoue Y, Tagaya H: Attentional bias modification alters intrinsic functional network of attentional control: A randomized controlled trial. 2018 Oct. *J Affect Disord*, 238, 472-481 **【IF=3.786】**
- 12) Narita-Ohtaki R, Hori H, Itoh M, Lin M, Niwa M, Ino K, Imai R, Ogawa S, Sekiguchi A, Matsui M, Kunugi H, Kamo T, Kim Y: Cognitive function in Japanese women with posttraumatic stress disorder: Association with exercise habits. 2018 Aug. *J Affect Disord*, 236, 306-312 **【IF=4.437】**
- 13) Imai R, Hori H, Itoh M, Lin M, Niwa M, Ino K, Ogawa S, Ishida M, Sekiguchi A, Matsui M, Kunugi H, Akechi T, Kamo T, Kim Y: Inflammatory markers and their possible effects on cognitive function in women with posttraumatic stress disorder. 2018 Jul. *J Psychiatr Res*, 102, 192-200 **【IF=4.035】**
- 14) Hori H, Nakamura S, Yoshida F, Teraishi T, Sasayama D, Ota M, Hattori K, Kim Y, Higuchi T, Kunugi H: Integrated profiling of phenotype and blood transcriptome for stress vulnerability and depression. 2018 Sep. *J Psychiatr Res*, 104, 202-210 **【IF=4.437】**
- 15) Fukasawa M, Suzuki Y, Obara A, Kim Y: Effects of Disaster Damage and Working Conditions on Mental Health Among Public Servants 16 Months After the Great East Japan Earthquake. 2018 Feb *Disaster Medicine and Public Health Preparedness*. doi.org/10.1017/dmp.2017.127. Published online: 15 :1-9 **【IF=1.354】**
- 16) Honda T, Wynter K, Yokota J, Tran T, Ujiie Y, Niwa M, Nakayama M, Fumie Ito, Kim Y, FisherJ, and Kamo T: Sexual Violence as a Key Contributor to Poor Mental Health Among

- Japanese Women subjected to Intimate Partner Violence. 2018 May J Womens Health, 27(5):716-723 **【IF=2.322】**
- 17) Hakamata Y, Komi S, Moriguchi Y, Izawa S, Motomura Y, Sato E, Mizukami S, Kim Y, Hanakawa T, Inoue Y, Tagaya H : Amygdala-centred functional connectivity affects daily cortisol concentrations: a putative link with anxiety. 2017 Scientific Reports, 7(1):8313. **【IF=4.259】**
- 18) Itoh M, Ujiie Y, Nagae N, Niwa M, Kamo T, Lin M, Hirohata S, Kim Y: A new short version of the Posttraumatic Diagnostic Scale: validity among Japanese adults with and without PTSD. 2017 Eur J Psychotraumatol. 8(1): 1364119. **【IF=3.278】**
- 19) Hori H, Teraishi T, Nagashima A, Koga N, Ota M, Hattori K, Kim Y, Higuchi T, Kunugi H: A personality-based latent class typology of outpatients with major depressive disorder: association with symptomatology, prescription pattern and social function. 2017 Aug J Affect Disord. 1(217):8-15. **【IF=3.432】**
- 20) Itoh M, Ujiie Y, Nagae N, Niwa M, Kamo T, Lin M, Hirohata S, Kim Y: The Japanese version of the Posttraumatic Diagnostic Scale: Validity in participants with and without traumatic experiences. 2017 Asian J Psychiatr 25: 1-5.
- 21) Hori H, Koga N, Hidese S, Nagashima A, Kim Y, Higuchi T, Kunugi H: 24-h activity rhythm and sleep in depressed outpatients. 2016J Psychiatr Res. 2016; 77: 27-34. **【IF=4.465】**
- 22) Lin M, Soi-Kawase S, Narita-Otaki R, Itoh M, Kim Y: Reliability and validity of a self-report emotional expressivity measure: The Japanese version of the Berkeley Expressivity Questionnaire. 2016 Jpn J Nurs Sci. 13 (1):196-201. **【IF=0.488】**
- 23) Hori H, Sasayama D, Teraishi T, Yamamoto N, Nakamura S, Ota M, Hattori K, Kim Y, Higuchi T, Kunugi H: Blood-based gene expression signatures of medication-free outpatients with major depressive disorder: integrative genome-wide and candidate gene analyses. 2016 Sci Rep. 6: 18776. **【IF=5.578】**
- 24) Fukasawa M, Suzuki Y, Nakajima S, Asano K, Narisawa T, Kim Y : Systematic Consensus Building on Disaster Mental Health Services After the Great East Japan Earthquake by Phase. 2015 Disaster Med Public Health Prep. 9(4):359-366. **【IF=0.70】**
- 25) Nishi D, Hashimoto K, Noguchi H, Kim Y, Matsuoka Y: Serum Oxytocin, Posttraumatic Coping and C-Reactive Protein in Motor Vehicle Accident Survivors by Gender. 2015 Neuropsychobiology;71:196-201. **【IF=2.303】**

- 26) Kim Y: 311 disaster and mental health countermeasures. 2014 Eur J Psychotraumatol. Dec 9;5:26515. **[on line] [IF : 2.40]**
- 27) Hamazaki K, Nishi D, Yonemoto N, Noguchi H, Kim Y, Matsuoka Y: Erratum to “The role of high-density lipoprotein cholesterol in risk for posttraumatic stress disorder: Taking a nutritional approach towards universal prevention” 2014 Eur. Psych.29:408-413. **[IF=3.44]**
- 28) Suzuki Y, Fukasawa M, Nakajima S, Narisawa T, Keiko A, Kim Y: Developing a Consensus-based Definition of “Kokoro-no Care” or Mental Health Services and Psychosocial Support: Drawing from Experiences of Mental Health Professionals Who Responded to the Great East Japan Earthquake. Version 1. 2015 PLoS Curr. 7. **[online]**
- 29) Fukasawa M, Suzuki Y, Obara A, Kim Y: Relationships between mental health distress and work-related factors among prefectural public servants two months after the Great East Japan Earthquake. 2015 Int J Behav Med. 22(1):1-10. **[IF=2.63]**
- 30) Nakamura K, Kitamura K, Kim Y, Someya T: Property damage and long-term psychological distress after the 2004 Niigata-Chuetsu earthquake in Ojiya, Japan: A community-based study. 2014 J Public Health 37 (3): 398-405. **[IF=2.04]**
- 31) Suzuki Y, Fukasawa M, Obara A, Kim Y: Mental Health Distress and Related Factors Among Prefectural Public Servants Seven Months After the Great East Japan Earthquake. 2014 J Epidemiol 24(4), 287-294. **[IF : 2.862]**
- 32) Yoshiike T, Kuriyama K, Honma M, Ikeda H, Kim Y: Neuroticism relates to daytime wakefulness and sleep devaluation via high neurophysiological efficiency in the bilateral prefrontal cortex: A preliminary study. 2014 Psychophysiology. 51(4): 396-406. **[IF=3.261]**
- 33) Honma M, Yoshiike T, Ikeda H, Kim Y, Kuriyama K: Sleep dissolves illusion: sleep withstands learning of visuo-tactile-proprioceptive integration induced by repeated days of rubber hand illusion training. 2014 PLoS One. 9(1):e85734. **[on line] [IF=3.730]**
- 34) Reifels L, Pietrantonio L, Prati G, Kim Y, Kilpatrick D. G, Dyb G , Halpern J, Olf M, Brewin C.R.O'Donnell M: Lessons learned about psychosocial responses to disaster and mass trauma: an international perspective. 2013 Eur J Psychotraumatol; 4:22897. **[on line] [IF=3.278]**
- 35) Kuriyama K, Honma M, Yoshiike T, Kim Y: Memory suppression trades prolonged fear and sleep-dependent fear plasticity for the avoidance of current fear. 2013 Sci Rep, 3: 2227. **[IF=2.927]**
- 36) Matsuoka Y, Nishi D, Noguchi H, Kim Y, Hashimoto K: Longitudinal Changes in Serum Brain-

- Derived Neurotrophic Factor in Accident Survivors with Posttraumatic Stress Disorder. 2013 Neuropsychobiology; . **[IF=2.371]**
- 37) Kuriyama K, Honma M, Yoshiike T, Kim Y: Valproic acid but not d-cycloserine facilitates sleep-dependent offline learning of extinction and habituation of conditioned fear in humans. 2013 Neuropharmacology 01/2013; 64(1):424-31. **[IF=4.81]**
- 38) Fukasawa M, Suzuki Y, Nakajima S, Narisawa T, Kim Y: Similarities and differences of systematic consensus on disaster mental health services between Japanese and European experts. 2013 J Trauma Stress, 26: 1-8. **[IF=2.72]**
- 39) Noguchi H, Nishi D, Kim Y, Konishi T, Matsuoka Y: Does Prior Trauma Predict Negative Posttraumatic Appraisal in Motor Vehicle Accident Survivors? 2013 J Depress Anxiety S4, pp.3. **[IF=4.288]**
- 40) Nishi D, Noguchi H, Yonemoto N, Nakajima S, Kim Y, Matsuoka Y: Incidence and Prediction of Post-Traumatic Stress Disorder at 6 Months After Motor Vehicle Accidents in Japan. 2012 Psychosomatics (on line) **[IF=2.123]**
- 41) Usuki M, Matsuoka Y, Nishi D, Yonemoto N, Matsumura K, Otomo Y, Kim Y, Kanba S: Potential impact of propofol immediately after motor vehicle accident on later symptoms of posttraumatic stress disorder at 6-month follow up: a retrospective cohort study. 2012 Critical care; 16(5): R196. **[IF=4.61]**
- 42) Suzuki Y, Fukasawa M, Nakajima S, Narisawa T, Kim Y: Development of disaster mental health guidelines through the Delphi process in Japan. 2012 Int J Ment Health Syst 2; 6(1):7. **[IF=0.77]**
- 43) Honma M, Endo N, Osada Y, Kim Y, Kuriyama K: Disturbances in equilibrium function after major earthquake. 2012 Scientific Reports 2(749) 1-8. **[IF=5.578]**
- 44) Sawamura K, Tachimori H, Koyama T, Koyama A, Naganuma Y, Kim Y, Takeshima T: Lay Diagnoses and Views on Causes, Coping Strategies, and Treatment for Schizophrenia. 2012 Community Mental Health J: 48(3) 309-316. **[IF=1.030]**
- 45) Suzuki Y, Kim Y: The Great East Japan earthquake in 2011; toward sustainable mental health care system. 2012 Epidemiol Psychiatr Sci 21: pp 7-11. **[IF=2.032]**
- 46) Ito M, Nakajima S, Fujisawa D, Miyashita M, Kim Y, Shear MK, Ghesquiere A, Wall MM.: Brief measure for screening complicated grief: reliability and discriminant validity. 2012 PLoS One 7(2):e31209. **[IF=4.411]**
- 47) Kuriyama K, Honma M, Shimazaki M, Horie M, Yoshiike T, Koyama S, Kim Y: An N-methyl-

- d-aspartate receptor agonist facilitates sleep-independent synaptic plasticity associated with working memory capacity enhancement. 2011 Scientific Reports. 1: 127. **[IF=5.578]**
- 48) Kuriyama K, Honma M, Soshi T, Fujii T, Kim Y: Effect of D-cycloserine and valproic acid on the extinction of reinstated fear-conditioned responses and habituation of fear conditioning in healthy humans: a randomized controlled trial. 2011 Psychopharmacology (Berl)218(3):589–597. **[IF=3.817]**
- 49) Kim Y, Tsutsumi A, Izutsu T, Kawamura N, Miyazaki T, Kikkawa T: Persistent distress after psychological exposure to the Nagasaki atomic bomb explosion. 2011 Br J Psychiatry. 199:411-6. (雑誌より press release.) **[IF=5.947]**
- 50) Kim Y, Akiyama T : Great East Japan Earthquake and early mental health care response. 2011 Psychiatry and Clinical Neurosciences: 539-548. **[IF=1.559]**
- 51) Kim Y, Akiyama T: Post-disaster mental health care in Japan. 2011 The Lancet 378 : 317-318. **[IF=33.633]**
- 52) Suzuki Y, Tsutsumi A, Fukasawa M, Honma H, Someya T, Kim Y: Prevalence of Mental Disorders and Suicidal Thoughts Among community-Dwelling Elderly Adults 3 Years After the Niigata-Chuetsu Earthquake. 2011 Journal of Epidemiology 21-2: 144-150.**[IF=2.110]**
- 53) Kuriyama K, Honma M, Koyama S, Kim Y: D-cycloserine Facilitates Procedural Learning but not Declarative Learning in Healthy Humans: A Randomized Controlled Trial of the Effect of D-cycloserine and Valproic Acid on Overnight Properties in the Performance of Non-emotional Memory Tasks. 2011 Neurobiology Learning and Memory. 95(4):505-9. **[IF=3.701]**
- 54) Umehara H, Fangerau H, Gaebel W, Kim Y, Schott H, Zielasek J: Von der “Schizophrenie” zur “Störung der Einheit des Selbst”. 2011 Der Nervenarzt. (online)
- 55) Kuriyama K, Mishima K, Soshi T, Honma M, Kim Y: Effects of sex differences and regulation of the sleep-wake cycle on aversive memory encoding. 2011 Neurosci Res. 70(1):104-10. **[IF=2.096]**
- 56) Suzuki Y, Tsutsumi A, Fukasawa M, Honma H, Someya T, Kim Y: Prevalence of Mental Disorders and Suicidal Thoughts Among Community-Dwelling Elderly Adults 3 Years After the Niigata-Chuetsu Earthquake. 2011 Journal of Epidemiology. 21(2):144-50. **[IF=2.110]**
- 57) Fujisawa D, Miyashita M, Nakajima S, Ito M, Kato M, Kim Y : Prevalence and determinants of complicated grief in general population. 2010 Journal of Affective Disorders 127: 352-358. **[IF=3.383]**
- 58) Kuriyama K, Soshi T, Kim Y: Sleep deprivation facilitates extinction of implicit fear

- generalization and physiological response to fear. 2010 Biological Psychiatry 68(11): 991–998. (雑誌より press release される。) **[IF=8.674]**
- 59) Honma M, Soshi T, Kim Y, Kuriyama K: Right Prefrontal Activity Reflects the Ability to Overcome Sleepiness during Working Memory Tasks: A Functional Near-Infrared Spectroscopy Study. 2010 PLoS ONE 5 (9): e12923. **[IF=4.411]**
- 60) Nishi D, Matsuoka Y, Kim Y: Posttraumatic growth, posttraumatic stress disorder and resilience of motor vehicle accident survivors. 2010 Biopsychosocial Medicine 4:7. **[UN OFFICIAL IF=1.00]**
- 61) Nishi D, Matsuoka Y, Yonemoto N, Noguchi H, Kim Y, Kanba S: The Peritraumatic Distress Inventory as a predictor for the subsequent posttraumatic stress disorder after a severe motor vehicle accident. 2010 Psychiatry Clin Neurosci 64(2): 149-156. **[IF=1.559]**
- 62) Kuriyama K, Soshi T, Fujii T, Kim Y: Emotional Memory Persists Longer Than Event Memory. 2010 Learning and Memory 17: 130-133. **[IF=3.701]**
- 63) Matsuoka Y, Nishi D, yonemoto N, Nakajima S, Kim Y: Toward an explanation of inconsistent rates of PTSD across different countries: infant mortality rate as a marker of social circumstances and basic population health. 2010 Psychother psychosom 79(1):56-57, 2010**[IF=6.000]**
- 64) Soshi T, Kuriyama K, Aritake S, Enomoto M, Hida A, Tamura M, Kim Y, Mishima K: Sleep deprivation Influences Diurnal Variation of Human Time Perception with Prefrontal Activity Change: A Functional Near-Infrared Spectroscopy Study. 2010 PloS ONE 5(1):e8395 **[IF=4.411]**
- 65) Matsuoka Y, Nishi D, Nakajima S, Yonemoto N, Hashimoto K, Noguchi H, Homma M, Otomo Y, Kim Y: The Tachikawa Cohort of Motor Vehicle Accident Study investigating psychological distress: Design, methods and cohort profile. 2009 Social Psychiatry and Psychiatric Epidemiology 44(4):333-340. Epub 2008. **[IF=2.147]**
- 66) Matsuoka Y, Nishi D, Nakajima S, Yonemoto N, Noguchi H, Otomo Y, Kim Y: Impact of psychiatric morbidity on quality of life after motor vehicle accident at 1-month follow-up. 2009 Psychiatry Clin Neurosci 63(2):235-237. **[IF=1.559]**
- 67) 2009.Suzuki Y, Tsutsumi A, Izutsu T, and Kim Y: Psychological Consequences More Than Half a Century After the Nagasaki Atomic Bombing. 2009 Radiation Health Risk Science, pp277-282.
- 68) Nishi D, Matsuoka Y, Noguchi H, Sakuma K, Yonemoto N, Yanagita T, Homma M, Kanba S,

- Kim Y: Reliability and validity of Japanese version of the Peritraumatic Distress Inventory. 2009 General Hospital Psychiatry.31(1):75-79. **[IF=2.777]**
- 69) Kim Y, Asukai N, Konishi T, Kato H, Hirotsune H, Maeda M, Inoue H, Narita H, Iwasaki M: Clinical evaluation of paroxetine in post-traumatic stress disorder (PTSD):52-week, non-comparative open-label study for clinical use experience. 2008 Psychiatry Clin Neurosci. 62(6):646-652. **[IF=1.559]**
- 70) Hara E, Matsuoka Y, Hakamata Y, Nagamine M, Inagaki M, Imoto S, Murakami K, Kim Y, Uchitomi Y: Hippocampal and amygdalar volumes in breast cancer survivors with posttraumatic stress disorder. 2008 J Neuropsychiatry Clin Neurosci.20:302-308. **[IF=1.981]**
- 71) Hori H, Nagamine M, Soshi T, Okabe S, Kim Y, Kunugi H: Schizotypal Traits in Healthy Women Predict Prefrontal Activation Patterns during a Verbal Fluency Task: A Near-Infrared Spectroscopy Study: 2008 Neuropsychobiology. 57:61-69. **[IF=2.567]**
- 72) Nishi D, Matsuoka Y, Nakajima S, Noguchi H, Kim Y, Kanba S, Schnyder U : Are patients after severe injury who drop out of a longitudinal study at highrisk of mental disorder? 2008 Compr Psychiatry. (4), 393-398, **[IF=2.377]**
- 73) Kitayama N, Bremner M, Hertz L, Quinn S, Kim Y, Bremner JD: Morphologic alterations in the corpus callosum in abuse-related posttraumatic stress disorder. 2008 J Nerv Ment Dis. 195:1027-1029. **[IF=1.769]**
- 74) Matsuoka Y, Nishi D, Nakajima S, Kim Y, Homma M, Otomo Y: Incidence and prediction of psychiatric morbidity following a motor vehicle accident in Japan:The Tachikawa Cohort of Motor Vehicle Accident Study. 2008 Crit Care Med. 36:74-80. **[IF=6.254]**
- 75) Nagamine M, Soshi T, Nioka S, Chance B, Kim Y: Dorsolateral prefrontal cortex activation during lying is context dependent—a preliminary report using near—infrared spectroscopy. 2007 Journal of Mental Health. **[IF=1.570]**
- 76) Hakamata Y, Matsuoka Y, Inagaki M, Nagamine M, Hara E, Imoto S, Murakami K, Kim Y, Uchitomi Y: Structure of Orbitofrontal cortex and itslongitudinal course in cancer—related post-traumatic stress disorder. 2007 Neurosci Res. 59(4):383-389. **[IF=2.096]**
- 77) Nagamine M, Matsuoka Y, Mori E, Imoto S, Kim Y, Uchitomi Y: Different emotional memory consolidation in cancer survivors with and without a history of intrusive recollection. 2007 J Trauma Stress. 20(5):727-736. **[IF=2.374]**
- 78) Matsuoka Y, Nagamine M, Mori E, Imoto S, Kim Y, and Uchitomi Y: Left Hippocampal Volume Inversely Correlates With Enhanced Emotional Memory in Middle-Aged Healthy Women. 2007

- J Neuropsychiatry Clin Neurosci. 19:335-338. **[IF=1.981]**
- 79) Nagamine M, Matsuoka Y, Mori E, Fujimori M, Imoto S, Kim Y, Uchitomi Y: Relationships between heart rate and emotional memory in subjects with a past history of PTSD. 2007 Psychiatry Clin Neurosci. 61:441-443. **[IF=1.559]**
- 80) Kamo T, Mikami Y, Kim Y, Yahagita T: Psychiatric symptoms and diagnosis of battered women in an emergency shelter in Tokyo. 2006 Gender Medicine 3. **[IF=2.26]**
- 81) Nishi D, Matsuoka Y, Kawase E, Nakajima S, Kim Y: Mental health service requirements in a Japanese medical centre emergency department. 2006 Emerg Med J. 23:468-469. **[IF=1.269]**
- 82) Matsuoka K, Uno M, Kasai K, Koyama K, Kim Y: Estimation of premorbid IQ in individuals with Alzheimer's disease using Japanese ideographic script (Kanji) compound words. 2006 Psychiatry Clin Neurosci. 60:332-339. **[IF=1.559]**
- 83) Asukai N, Kato H, Kawamura N, Kim Y, Yamamoto K, Kishimoto J, Miyake Y, Nishizono-Maher A.: Reliability and validity of the Japanese-language version of the Impact of Event Scale-Revised (IES-R-J). 2002 J Nerv Ment Dis. 190:175-182. **[IF=1.769]**
- 84) Kim Y: Renaming the term schizophrenia in Japan. 2002 Lancet. 360:879. **[IF=33.633]**
- 85) Kanemoto K, Kim Y, Miyamoto T, Kawasaki J: Presurgical postictal and acute interictal psychoses are differentially associated with postoperative mood and psychotic disorders. 2001 J Neuropsychiatry Clin Neurosci. 13:243-247. **[IF=1.981]**
- 86) Kim Y, Berrios G: Impact of the term schizophrenia in the culture of ideograph. 2001 Schizophr Bull. 27:181-185. **[IF=8.273]**
- 87) Kawamura N, Kim Y, Asukai N: Suppression of cellular immunity in men with a past history of posttraumatic stress disorder. 2001 Am J Psychiatry. 158:484-486. **[IF=12.759]**
- 88) Matsuoka K, Kim Y, Toshida S, Ohshima N: Relationships between age of onset, antisocial history and general psychopathological traits in Japanese alcoholics. 2000 Psychiatry Clin Neurosci. 54:413-417. **[IF=1.559]**
- 89) Kim Y: Field Decontamination in the Mental Health Activity in the Community Disaster. 1999 Prehospital and Disaster Medicine 14(S1).
- 90) Ono Y, Satsumi Y, Kim Y, Iwadata Y, Moriyama I, Nakane Y, Nakata T, Okagami K, Sakai T, Sato M, Someya T, Takagi S, Ushijima S, Yamauchi K, Yoshimura K: Schizophrenia: Is it time to replace the term?. 1999 Psychiatry Clin Neurosci. 53:335-341. **[IF=1.559]**
- 91) Miyaoka H, Sakai T, Kamijima K, Kato Y, Hoshino H, Kim Y: A case report of two siblings with familial leukoencephalopathy in normotensive male adults with alopecia and lumbago. 1998 Int

J Geriatr Psychiatry. 13:643-344. [IF=2.029]

- 92) Kim Y, Sakamoto K, Kamo T, Sakamura Y, Miyaoka H: Insight and clinical correlates in schizophrenia. 1997 Compr Psychiatry. 38:117-123. [IF=2.377]
- 93) Kim Y, Sakamoto K, Kamo T, Sakamura Y, Kotorii N: Subjective experience and related symptoms in schizophrenia. 1997 Compr Psychiatry. 38:49-55. [IF=2.377]
- 94) Kim Y, Takemoto K, Mayahara K, Sumida K, Shiba S: An analysis of the subjective experience of schizophrenia. 1994 Compr Psychiatry. 35:430-436. [IF=2.377]

1-2 Review

- 1) 2019.12. Hori A, Takebayashi Y, Tsubokura M, Kim Y : Efficacy of prolonged exposure therapy for a patient with late-onset PTSD affected by evacuation due to the Fukushima nuclear power plant accident. BMJ case reports 12 : 231960.
- 2) 2019.4 Hori H, Kim Y : Inflammation and post-traumatic stress disorder. Psychiatry Clin Neurosci. 73:143-153.
- 3) Kim Y: Psychological problems of the victims. 2001 The criticality accident in Tokaimura:medial aspects of radiation emergency. 165-166.
- 4) 1998. Kim Y, Kokai M: Earthquake and Psychiatry in Kobe. Psychiatr Bull. 22:245-248.

1-3 Books

- 1) 2008. Suzuki Y, Tsutsumi A, Izutsu T, Kim Y: Psychological Consequences More Than Half a Century After the Nagasaki Atomic Bombing. In: Radiation Health Risk Research. Springer: 277-282, Tokyo.
- 2) 2008. Matsuoka K, Kim Y: Estimated premorbid IQ using Japanese version of National Adult Reading Test in Individuals with Alzheimer's Disease. Jeong HS ed: Alzheimer's disease in the middle-aged. Nova Science Publishers, Inc., NY, :169-190.
- 3) 2006. Kim Y: Pengantar Isi.PEDOMAN AKTIVITAS PERAWATAN KESEHATAN MENTAL TINGKAT LOKAL PASCA BENCANA. JICA&STKS Collaboration Japan International Cooperation Agency & School of Social Welfare,Bandung:4.
- 4) 2006. Kim Y: Current Perspectives on Clinical Studies of PTSD in Japan. In: PTSD Brain Mechanisms and Clinical Implications: 147-154. Springer, Tokyo.
- 5) 2004. Kim Y: Japanese attitude towards insight in Schizophrenia.In: Insight in schizophrenia 2nd ed. (eds. A Dabid, X Amador), Oxford University Press, Oxford.

- 6) 2002. Kim Y:The psychological foundation of insight in Schizophrenia . In: Comprehensive Treatment of Schizophrenia (eds. Kashima H, Falloon I, Mizuno M, Asai M). Springer Verlag,Heidelberg.
- 7) 1997.Kim Y:Japanese attitude towards insight in Schizophrenia.In: Insight in schizophrenia. (eds. A Dabid, X Amador), Oxford University Press,Oxford.
- 8) 1994. Kim Y, Fujinawa A: Future perspective of Japanese psychiatric policy [Past, present and future of psychiatry] Beigel A, Ibor L, Silva C eds. World Scientific. Past, present and future of psychiatry. :1342 – 1345.

1-4 Others

- 1) Yoshiharu Kim (interviewed by Eleanor Hall). Japan shows the way with disaster counselling. In The World Today, Australian ABC News, Nov 2011, Fri 11.
<http://www.abc.net.au/radio/programs/worldtoday/japan-shows-the-way-with-disaster-counselling/3660970>
- 2) 2007.3. Nakatani H, Shinmura K, Kim Y, et al.: Japan-Australia Partnership in Health Joint Report on Phase 2-Mental Health.